

FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Austria	Australia	Belgium	Bosnia and Herzegovina	Brazil	Bulgaria	Croatia	Cyprus	Czechia	Denmark	Estonia	Finland	France	
U500 series 2 mW, 10 mW, 30 mW	LDU505	584 – 608 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDU506UK	604 - 614 MHz	License required	Yes	License required	Yes	Yes only from 604 - 608 MHz	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDU506	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDU508	823 – 832 MHz	License required	No	Yes Handheld up to 20 mW and 100 mW for body worn within 823-826 MHz	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW	Yes	Yes. Limited to professional use
		863 – 865 MHz	Yes	No	Yes Up to 10 mW	Yes Up to 10 mW	No	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes	No
LDU518	1785 - 1800 MHz	Yes	Yes	Yes	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes	Yes. Limited to professional use	
U300 series 10 mW	LDU305	584 – 608 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDU306	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDU308	823 – 832 MHz	License required	No	Yes Handheld up to 20 mW and 100 mW for body worn within 823-826 MHz	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW	Yes	Yes. Limited to professional use
		863 – 865 MHz	Yes	No	Yes	Yes Up to 10 mW	No	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes	No
WIN42 10 mW, 30 mW, 50 mW	LDWIN42B5	516 – 558 MHz	License required	Yes	Yes (only 518 - 526 MHz, and 534 - 542 MHz *1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDWIN42	734 - 776 MHz	License required (Only available from 733 to 758 MHz)	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes The 700 MHz use is noted to be changed from 2020	Yes	No	No	



FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Germany	Greece	Hungary	Ireland	Italy	Japan	Latvia	Lithuania	Luxembourg	Malta	Netherlands	Norway	New Zealand
U500 series 2 mW, 10 mW, 30 mW	LDU505	584 – 608 MHz	License required	Yes	Yes	Yes	Yes	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDU506UK	604 - 614 MHz	License required only from 604 - 608 MHz	Yes	Yes	Yes	Yes	License required	Yes	Yes	Yes	No	No	Yes	No
	LDU506	655 – 679 MHz	License required	Yes	Yes	Yes	Yes	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
	LDU508	823 – 832 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Up to 20 mW	Yes Handheld only up to 20 mW	Yes Up to 10 mW	No	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	No
		863 – 865 MHz	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	No	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW
LDU518	1785 - 1800 MHz	Yes	Yes	Yes	Yes only 1785 - 1785.2 MHz Handheld 2.5 mW, Bodypack 50 mW & 1785.2 - 1800 MHz Handheld 20 mW, Bodypack 50 mW	Yes Up to 20 mW	No	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes Handheld only up to 20 mW	Yes only up to 20 mW	Yes	Yes	No	
U300 series 10 mW	LDU305	584 – 608 MHz	License required	Yes	Yes	Yes	Yes	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDU306	655 – 679 MHz	License required	Yes	Yes	Yes	Yes	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
	LDU308	823 – 832 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	Yes	Yes Handheld only up to 20 mW	Yes	No	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW	No	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	No
		863 – 865 MHz	Yes	Yes	Yes	Yes Up to 10 mW	Yes	No	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes	Yes



FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Poland	Portugal	Romania	Slovenia	Spain	South Korea	Sweden	Switzerland	UAE	UK	USA	UKRAINE
U500 series 2 mW, 10 mW, 30 mW	LDU505	584 – 608 MHz	Yes	Yes	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDU506UK	604 - 614 MHz	Yes	Yes	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	No	License required
	LDU506	655 – 679 MHz	Yes	Yes	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
	LDU508	823 – 832 MHz	Yes Handheld only up to 20 mW	No	Yes *3	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	No	Yes Handheld only up to 10 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	License required	Shared License required	No	License required
		863 – 865 MHz	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	Yes Up to 10 mW	No	Yes Up to 10 mW	Yes Up to 10 mW	License required	Yes Up to 10 mW	No	Yes Up to 10 mW
LDU518	1785 - 1800 MHz	Yes Handheld only up to 20 mW	Yes 1795 - 1804,8 MHz	Yes	Yes	Yes	No	License required	Yes	License required	Shared License required	No	No	
U300 series 10 mW	LDU305	584 – 608 MHz	Yes	Yes	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDU306	655 – 679 MHz	Yes	Yes	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
	LDU308	823 – 832 MHz	Yes Handheld only up to 20 mW	No	Yes *3	Yes Handheld only up to 20 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	No	Yes Handheld only up to 10 mW within 823-826 MHz	Yes Handheld only up to 20 mW within 823-826 MHz	License required	Shared License required	No	License required
		863 – 865 MHz	Yes Up to 10 mW	Yes	Yes *3	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
WIN42 10 mW, 30 mW, 50 mW	LDWIN42B5	516 – 558 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes	License required
	LDWIN42	734 - 776 MHz	Yes	Yes Only within 734-750 and 758-776 MHz. *2	Yes *3	Yes *4	Yes	No	No. Not available since January 2018	Yes	No	Shared License required	No	License required
WS1000 G2 10 mW	LDWS1000G2	823 - 832 MHz	Yes	No	Yes *3	Yes	Yes	No	Yes	Yes	License required	Shared License required	No	License required
		863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10 mW
WS168 10 mW	LDWS168	1785 - 1800 MHz	Yes	Yes 1795 - 1804,8 MHz	Yes	Yes	Yes	No	License required	Yes	License required	Shared License required	No	No



FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Austria	Australia	Belgium	Bosnia and Herzegovina	Brazil	Bulgaria	Croatia	Cyprus	Czechia	Denmark	Estonia	Finland	France
WS1000 G2 10 mW	LDWS1000G2	823 - 832 MHz	License required	No	Yes Handheld only up to 20 mW and 100 mW for body worn within 823-826 MHz	Yes	No	Yes	Yes	Yes	Yes	Yes Handheld only up to 20 mW within 823-826 MHz	Yes	Yes	Yes. Limited to professional use
		863 - 865 MHz	Yes	No	Yes (up to 10 mW eirp)	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
WS1G8 10 mW	LDWS1G8	1785 - 1800 MHz	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
EC016 10 mW	LDWSECO16B5	584 – 607 MHz	License required	Yes	License required up to 606 Mhz. 606-614 MHz not allowed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDWSECO16B6	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDWSECO16	863.000 MHz - 865.000 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
EC02 10 mW	LDWSECO2 1	863.100 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2x2 1	863.100 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2 2	863.900 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2x2 2	863.900 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2 3	864.500 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2x2 1	864.500 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2 4	864.900 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDWSECO2x2 2	864.900 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No



FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Germany	Greece	Hungary	Ireland	Italy	Japan	Latvia	Lithuania	Luxembourg	Malta	Netherlands	Norway	New Zealand
WIN42 10 mW, 30 mW, 50 mW	LDWIN42B5	516 – 558 MHz	License required	Yes Up to 50 mW	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes (except from 556 to 558 MHz)	Yes	Yes
	LDWIN42	734 - 776 MHz	License required	Yes Up to 50 mW	No	Yes	Yes Up to 50 mW	No	Yes	Yes	Yes	No	Yes	Yes	No
WS1000 G2 10 mW	LDWS1000G2	823 - 832 MHz	Yes	Yes	Yes Up to 20 mW	Yes	Yes Up to 10 mW	No	Yes	No	Yes	No	Yes	Yes	No
		863 - 865 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
WS168 10 mW	LDWS168	1785 - 1800 MHz	Yes	Yes	Yes	Yes only 1785 - 1785.2 MHz Handheld 2.5 mW, Bodypack 50 mW & 1785.2 - 1800 MHz Handheld 20 mW, Bodypack 50 mW	Yes Up to 20 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
EC016 10 mW	LDWSEC016B5	584 – 607 MHz	License required	Yes Up to 50 mW	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDWSEC016B6	655 – 679 MHz	License required	Yes Up to 50 mW	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
	LDWSEC016	863.000 MHz - 865.000 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No

FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Poland	Portugal	Romania	Slovenia	Spain	South Korea	Sweden	Switzerland	UAE	UK	USA	UKRAINE
EC016 10 mW	LDWSEC016B5	584 – 607 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDWSEC016B6	655 – 679 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
	LDWSEC016	863.000 MHz - 865.000 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
EC02 10 mW	LDWSEC02 1	863.100 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02x2 1	863.100 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02 2	863.900 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02x2 2	863.900 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02 3	864.500 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02x2 1	864.500 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02 4	864.900 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDWSEC02x2 2	864.900 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes

FREQUENCY LIST WIRELESS SYSTEMS



Series and Power	Model	Frequency ranges	Germany	Greece	Hungary	Ireland	Italy	Japan	Latvia	Lithuania	Luxembourg	Malta	Netherlands	Norway	New Zealand
EC02 10mW	LDWSEC02 1	863.100 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02x2 1	863.100 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02 2	863.900 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02x2 2	863.900 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02 3	864.500 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02x2 1	864.500 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02 4	864.900 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDWSEC02x2 2	864.900 MHz	Yes Up to 10 mW	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No

Yes	= licence exempt
No	= frequency unavailable
Yes	= license required

Please note that this list is not complete and will be updated over time.

For countries not included in the list above; please contact the relevant authorities and inform yourselves about the permitted frequency ranges for your country.

*1 - 534 - 542 not available in Hainaut

*2 -In Portugal, only use of transmitting microphones in sub-bands 470-734 MHz and 742-786 MHz in R. A. Madeira is allowed. And 470-750 MHz and 758-786 MHz on the Continent. ERP = Effective radiated power

*3 - Licence exemption. Geographical restrictions for the sharing usage with the TV Broadcasting. It is needed to contact the National Spectrum Management Authority.

*4 - Use of the frequencies for TRA-ECS is possible in accordance with EC and/or CEPT documents based on the „Mandate to CEPT to develop harmonised technical conditions for the 694-790 MHz (700 MHz) frequency band in the EU for the provision of wireless broadband and other uses in support of EU spectrum policy objectives“ and taking into account the decision to introduce PPDR services.

*5 - The situation for wireless microphone operation in the U.S. is currently in flux due to the upcoming Incentive Auction of UHF (600 MHz) television band frequencies, which is planned to start on 29 March, 2016. Much less UHF spectrum is expected to be available after the upper part of the TV broadcast band is "repurposed".



LD Systems® is a brand of the Adam Hall Group. Adam-Hall-Str. 1 · 61267 Neu-Anspach · Germany

FREQUENCY LIST PORTABLE BATTERY POWERED ACTIVE PA SPEAKERS



Series and Power	Model	Frequency ranges	Austria	Australia	Belgium	Bosnia and Herzegovina	Brazil	Bulgaria	Croatia	Cyprus	Czechia	Denmark	Estonia	Finland	France
ROADBUDDY series 10 mW	LDRBUD10	863 - 865 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDRBUD10B5	584 – 607 MHz	License required	Yes	License required up to 606 Mhz. 606-614 MHz not allowed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDRBUD10B6	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDRBUD6	863 - 865 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
ROADBOY series 10 mW	LDRB65	863 - 865 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDRB65B5	584 – 607 MHz	License required	Yes	License required up to 606 Mhz. 606-614 MHz not allowed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDRB65B6	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
ROADMAN series 10 mW	LDRM102	863 - 865 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDRM102B5	584 – 607 MHz	License required	Yes	License required up to 606 Mhz. 606-614 MHz not allowed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDRM102B6	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use

FREQUENCY LIST **PORTABLE BATTERY POWERED ACTIVE PA SPEAKERS**



Series and Power	Model	Frequency ranges	Germany	Greece	Hungary	Ireland	Italy	Japan	Latvia	Lithuania	Luxembourg	Malta	Netherlands	Norway	New Zealand
ROADBUDDY series 10 mW	LDRBUD10	863 - 865 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDRBUD10B5	584 – 607 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDRBUD10B6	655 – 679 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
	LDRBUD6	863 - 865 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
ROADBOY series 10 mW	LDRB65	863 - 865 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDRB65B5	584 – 607 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDRB65B6	655 – 679 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
ROADMAN series 10 mW	LDRM102	863 - 865 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDRM102B5	584 – 607 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDRM102B6	655 – 679 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes	Yes	Yes

FREQUENCY LIST PORTABLE BATTERY POWERED ACTIVE PA SPEAKERS



Series and Power	Model	Frequency ranges	Poland	Portugal	Romania	Slovenia	Spain	South Korea	Sweden	Switzerland	UAE	UK	USA	UKRAINE
ROADBUDDY series 10 mW	LDRBUD10	863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
	LDRBUD10B5	584 – 607 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDRBUD10B6	655 – 679 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
	LDRBUD6	863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes
ROADBOY series 10 mW	LDRB65	863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10 mW
	LDRB65B5	584 – 607 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDRB65B6	655 – 679 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
ROADMAN series 10 mW	LDRM102	863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10 mW
	LDRM102B5	584 – 607 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDRM102B6	655 – 679 MHz	Yes	Yes Up to 50 mW	Yes *3	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required

Yes	= licence exempt
No	= frequency unavailable
Yes	= license required

Please note that this list is not complete and will be updated over time.

For countries not included in the list above; please contact the relevant authorities and inform yourselves about the permitted frequency ranges for your country.

*1 - 534 - 542 not available in Hainaut

*2 -In Portugal, only use of transmitting microphones in sub-bands 470-734 MHz and 742-786 MHz in R. A. Madeira is allowed. And 470-750 MHz and 758-786 MHz on the Continent. ERP = Effective radiated power

*3 - Licence exemption. Geographical restrictions for the sharing usage with the TV Broadcasting. It is needed to contact the National Spectrum Management Authority.

*4 - Use of the frequencies for TRA-ECS is possible in accordance with EC and/or CEPT documents based on the „Mandate to CEPT to develop harmonised technical conditions for the 694-790 MHz (700 MHz) frequency band in the EU for the provision of wireless broadband and other uses in support of EU spectrum policy objectives“ and taking into account the decision to introduce PPDR services.

*5 - The situation for wireless microphone operation in the U.S. is currently in flux due to the upcoming Incentive Auction of UHF (600 MHz) television band frequencies, which is planned to start on 29 March, 2016. Much less UHF spectrum is expected to be available after the upper part of the TV broadcast band is "repurposed".



LD Systems® is a brand of the Adam Hall Group. Adam-Hall-Str. 1 · 61267 Neu-Anspach · Germany

FREQUENCY LIST **IN-EAR MONITORING SYSTEMS**



Series and Power	Model	Frequency ranges	Austria	Australia	Belgium	Bosnia and Herzegovina	Brazil	Bulgaria	Croatia	Cyprus	Czechia	Denmark	Estonia	Finland	France
MEI 1000 G2 series 10 mW	LDMEI1000G2	823 - 832 MHz	License required	No	Yes Handheld only up to 20 mW and 100 mW for body worn within 823-826 MHz	Yes	No	Yes	Yes	Yes	Yes	Yes Handheld only up to 20 mW within 823-826 MHz	Yes	Yes	Yes. Limited to professional use
		863 - 865 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10mW	Yes	Yes	No
	LDMEI1000G2B5	584 – 607 MHz	License required	Yes	License required up to 606 Mhz. 606-614 MHz not allowed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDMEI1000G2B6	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
MEI 100 G2 series 10 mW	LDMEI100G2	823 - 832 MHz	License required	No	Yes Handheld only up to 20 mW and 100 mW for body worn within 823-826 MHz	Yes	No	Yes	Yes	Yes	Yes	Yes Handheld only up to 20 mW within 823-826 MHz	Yes	Yes	Yes. Limited to professional use
		863 - 865 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDMEI100G2B5	584 – 607 MHz	License required	Yes	License required up to 606 Mhz. 606-614 MHz not allowed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
	LDMEI100G2B6	655 – 679 MHz	License required	Yes	License required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes. Limited to professional use
MEI ONE series 10 mW	LDMEIONE1	863.700 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDMEIONE2	864.100 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No
	LDMEIONE3	864.900 MHz	Yes	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes Up to 10 mW	Yes	Yes	No



FREQUENCY LIST **IN-EAR MONITORING SYSTEMS**



Series and Power	Model	Frequency ranges	Germany	Greece	Hungary	Ireland	Italy	Japan	Latvia	Lithuania	Luxembourg	Malta	Netherlands	Norway	New Zealand
MEI 1000 G2 series 10 mW	LDMEI1000G2	823 - 832 MHz	Yes	Yes	Yes Up to 20 mW	Yes	Yes Up to 10 mW	No	Yes	No	Yes	No	Yes	Yes	No
		863 - 865 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDMEI1000G2B5	584 – 607 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDMEI1000G2B6	655 – 679 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
MEI 100 G2 series 10 mW	LDMEI100G2	823 - 832 MHz	Yes	Yes	Yes Up to 20 mW	Yes	Yes Up to 10 mW	No	Yes	No	Yes	No	Yes	Yes	No
		863 - 865 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDMEI100G2B5	584 – 607 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes Only allowed within 584-588, 590-596, and 598-604 MHz range	Yes	Yes Only up to 606 MHz
	LDMEI100G2B6	655 – 679 MHz	License required	Yes	Yes	Yes	Yes Up to 50 mW	License required	Yes	Yes	Yes	No	Yes	Yes	Yes
MEI ONE series 10 mW	LDMEIONE1	863.700 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDMEIONE2	864.100 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No
	LDMEIONE3	864.900 MHz	Yes	Yes	Yes Up to 10 mW	Yes	Yes Up to 10 mW	No	Yes	Yes	Yes	Yes	Yes	Yes	No

FREQUENCY LIST IN-EAR MONITORING SYSTEMS



Series and Power	Model	Frequency ranges	Poland	Portugal	Romania	Slovenia	Spain	South Korea	Sweden	Switzerland	UAE	UK	USA	UKRAINE
MEI 1000 G2 series 10 mW	LDMEI1000G2	823 - 832 MHz	Yes	No	No	Yes	Yes	No	Yes	Yes	License required	Shared License required	No	License required
		863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10mW
	LDMEI1000G2B5	584 – 607 MHz	Yes	Yes Up to 50 mW	No	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDMEI1000G2B6	655 – 679 MHz	Yes	Yes Up to 50 mW	No	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
MEI 100 G2 series 10 mW	LDMEI100G2	823 - 832 MHz	Yes	No	No	Yes	Yes	No	Yes	Yes	License required	Shared License required	No	License required
		863 - 865 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10mW
	LDMEI100G2B5	584 – 607 MHz	Yes	Yes Up to 50 mW	No	Yes	Yes	License required	License required	Yes	License required	Shared License required. Only allowed up to 606 MHz	Yes	License required
	LDMEI100G2B6	655 – 679 MHz	Yes	Yes Up to 50 mW	No	Yes	Yes	License required	License required	Yes	License required	Shared License required	Yes*5	License required
MEI ONE series 10 mW	LDMEIONE1	863.700 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10 mW
	LDMEIONE2	864.100 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10 mW
	LDMEIONE3	864.900 MHz	Yes	Yes Up to 10 mW	Yes	Yes	Yes	No	Yes	Yes	License required	Yes	No	Yes Up to 10 mW

Yes	= licence exempt
No	= frequency unavailable
Yes	= license required

Please note that this list is not complete and will be updated over time.

For countries not included in the list above; please contact the relevant authorities and inform yourselves about the permitted frequency ranges for your country.

*1 - 534 - 542 not available in Hainaut

*2 -In Portugal, only use of transmitting microphones in sub-bands 470-734 MHz and 742-786 MHz in R. A. Madeira is allowed. And 470-750 MHz and 758-786 MHz on the Continent. ERP = Effective radiated power

*3 - Licence exemption. Geographical restrictions for the sharing usage with the TV Broadcasting. It is needed to contact the National Spectrum Management Authority.

*4 - Use of the frequencies for TRA-ECS is possible in accordance with EC and/or CEPT documents based on the „Mandate to CEPT to develop harmonised technical conditions for the 694-790 MHz (700 MHz) frequency band in the EU for the provision of wireless broadband and other uses in support of EU spectrum policy objectives“ and taking into account the decision to introduce PPDR services.

*5 - The situation for wireless microphone operation in the U.S. is currently in flux due to the upcoming Incentive Auction of UHF (600 MHz) television band frequencies, which is planned to start on 29 March, 2016. Much less UHF spectrum is expected to be available after the upper part of the TV broadcast band is "repurposed".



LD Systems® is a brand of the Adam Hall Group. Adam-Hall-Str. 1 · 61267 Neu-Anspach · Germany