



USER MANUAL - BEDIENUNGSANLEITUNG

MOUNTING SET FOR FIXED INSTALLATIONS
MONTAGESET FÜR DIE FESTINSTALLATION

RIG400205801

INTENDED USE

This product is a retrofitting kit for loudspeakers for fixed permanent installation! This mounting set is intended exclusively for experienced operators and is not suitable for private households or untrained persons! Use of the product outside the specified technical data and operating conditions, as well as incorrect mounting on the loudspeaker, is considered improper!

Liability for damages or third-party damage to persons and property due to improper use is excluded!

SAFETY INSTRUCTIONS

1. Please read this user manual carefully.
2. Keep all information and instructions in a safe place.
3. Follow the instructions.
4. Only use the mounting set in the prescribed manner.

KEEP AWAY FROM CHILDREN! THE PRODUCT CONTAINS SMALL PARTS AND PACKAGING MATERIAL THAT COULD BE SWALLOWED! PLASTIC BAGS MUST BE KEPT OUT OF THE REACH OF CHILDREN!



WARNING

Overhead mounting requires extensive experience, including the calculation of the load limit values, the installation materials used, and regular safety inspection of all installation materials and equipment. If you do not have these qualifications, do not try to install it yourself and instead contact a professional company. There is a risk that incorrectly mounted or secured devices may come loose and fall down. This may lead to serious injury and even fatalities.




PACKAGE CONTENTS


1. Half clamp hook, black, tensile load up to 250 kg, for pipe diameters 48– 51 mm
2. M12 locking nut, Poly DIN 982 A4
3. M8 ring bolt, DIN EN 10204 3.1
4. M8 x 35 mm cylinder screw with hexagonal socket DIN 912 A2 plus lock washer
5. M10 x 35 mm cylinder screw with hexagonal socket DIN 912 A2 plus lock washer

ASSEMBLY INSTRUCTIONS

01. Release and remove the M12 wing nut (A), but leave the corresponding washer on the half clamp hook. Release and remove the mounting screw with washer, spring washer and wing nut (B).




02. Attach the M12 locking nut (C) instead of the M12 wing nut on the half clamp hook. Assemble the M8 and M10 cylinder screws with the corresponding lock washers (D).



03. Depending on which fastening thread (mounting hole) is available on the loudspeaker, insert either the M8 (E) or the M10 (F) cylinder screw with lock washer into the corresponding hole in the half clamp hook.



04. With the help of the corresponding cylinder screw and the associated lock washer, fasten the half clamp hook on the loudspeaker (**G**), making sure that the connection is tight and secure. Now screw the ring bolt, which has been tested in accordance with DIN EN 10204 3.1, into the corresponding thread on the loudspeaker (**H**) as far as it will go and use it as a safety eyebolt.



TECHNICAL SPECIFICATIONS

Item no.	RIG400205801
Product type:	Loudspeaker accessory
Type:	Mounting set for fixed installations
Package contents:	Half clamp hook (tensile load up to 250 kg, ø 48– 51 mm) M12 locking nut (Poly DIN 982 A4) M8 ring bolt (DIN EN 10204 3.1) M8 x 35 mm cylinder screw Hexagonal socket (DIN 912 A2) M10 x 35 mm cylinder screw Hexagonal socket (DIN 912 A2) M8 lock washer M10 lock washer
Dimensions Half clamp hook (H x W x D)	95 x 165 x 30 mm
Total weight	0.67 kg

MANUFACTURER'S DECLARATIONS

Our currently valid warranty conditions and limitation of liability are available at:
<http://www.adamhall.com/media/shop/downloads/documents/manufacturersdeclarations.pdf>

In the event of service requirements, please contact
 Adam Hall GmbH | Adam-Hall-Str. 1 | 61267 Neu Anspach, Germany
 E-mail: Info@adamhall.com | +49 (0)6081-9419-0



PROPER DISPOSAL OF THIS PRODUCT

(Valid in the European Union and other European countries with waste separation) This symbol on the product or the associated documents indicates that the device must not be disposed of with normal household waste at the end of the product's life, in order to prevent environmental damage or personal injury caused by the uncontrolled disposal of waste. Please dispose of this product separately from other waste and recycle it to promote sustainable economic cycles. Private customers can contact the dealer from whom the product was purchased or the relevant local authorities to obtain information on environmentally friendly waste management. Commercial users can contact their supplier and check the contractually agreed terms and conditions on the disposal of equipment. This product must not be disposed of with other commercial waste.

BESTIMMUNGSGEMÄSSER GEBRAUCH

Bei diesem Produkt handelt es sich um ein Set zur Nachrüstung für Lautsprecher zur nicht ortsveränderlichen dauerhaften Anbringung! Dieses Montageset ist ausschließlich für den sachkundigen Anwender bestimmt und nicht für Privathaushalte und nicht für sachfremde Personen geeignet! Die Benutzung des Produktes außerhalb der spezifizierten technischen Daten und Betriebsbedingungen, sowie eine fehlerhafte Anbringung am Lautsprecher, gilt als nicht bestimmungsgemäß!

Haftung für Schäden und Drittschäden an Personen und Sachen durch nicht bestimmungsgemäßen Gebrauch ist ausgeschlossen!

SICHERHEITSHINWEISE

1. Lesen Sie diese Anleitung bitte sorgfältig durch.
2. Bewahren Sie alle Informationen und Anleitungen an einem sicheren Ort auf.
3. Befolgen Sie die Anweisungen.
4. Verwenden Sie das Montageset nur in der dafür vorgesehenen Art und Weise.

VON KINDERN FERNHALTEN! DAS PRODUKT ENTHÄLT VERSCHLUCKBARE KLEINTEILE UND VERSCHLUCKBARES VERPACKUNGSMATERIAL! KUNSTSTOFFBEUTEL MÜSSEN AUSSER REICHWEITE VON KINDERN AUFBEWAHRT WERDEN!



WARNUNG

Überkopfmontage erfordert umfassende Erfahrung, einschließlich der Berechnung der Grenzwerte für die Arbeitslast, des verwendeten Installationsmaterials und der regelmäßigen Sicherheitsüberprüfung aller Installationsmaterialien und Geräte. Wenn Sie diese Qualifikationen nicht haben, versuchen Sie nicht, eine Installation selbst durchzuführen, sondern nutzen Sie die Hilfe von professionellen Unternehmen. Es besteht die Gefahr, dass sich nicht korrekt montierte und gesicherte Geräte lösen und herabfallen. Dadurch können Personen schwer verletzt oder getötet werden.




PACKUNGSIHALT


1. Halbschellenhaken, schwarz, Zugbelastung bis 250 kg, für Rohrdurchmesser 48 - 51 mm
2. M12 Sicherungsmutter Poly DIN 982 A4
3. M8 Ringschraube DIN EN 10204 3.1
4. M8 x 35 mm Zylinderschraube mit Innensechskant DIN 912 A2 plus Sicherungsscheibe
5. M10 x 35 mm Zylinderschraube mit Innensechskant DIN 912 A2 plus Sicherungsscheibe

MONTAGEANLEITUNG

01. Lösen und entfernen Sie die M12 Flügelmutter (A), belassen aber dabei die dazugehörige Unterlegscheibe am Halbschellenhaken. Lösen und entfernen Sie die Befestigungsschraube mit Unterlegscheibe, Federring und Flügelmutter (B).




02. Befestigen Sie die M12 Sicherungsmutter (C) anstelle der M12 Flügelmutter am Halbschellenhaken. Bestücken Sie die M8 und M10 Zylinderschrauben mit den entsprechenden Sicherungsscheiben (D).



03. Setzen Sie, je nachdem, welches Befestigungsgewinde (Flugpunkt) am Lautsprecher vorhanden ist, entweder die M8 (E) oder die M10 (F) Zylinderschraube mit Sicherungsscheibe in die entsprechende Bohrung im Halbschellenhaken.



04. Befestigen Sie den Halbschellenhaken mit Hilfe der entsprechenden Zylinderschraube und der dazugehörigen Sicherungsscheibe am Lautsprecher (**G**), achten Sie dabei auf eine feste und sichere Verbindung. Schrauben Sie nun die nach DIN EN 10204 3.1 geprüfte Ringschraube bis zum Anschlag in das entsprechende Gewinde am Lautsprecher (**H**) und verwenden sie so als Sicherungsöse.



TECHNISCHE DATEN

Artikel Nr.	RIG400205801
Produktart:	Lautsprecherzubehör
Typ:	Montageset für die Festinstallation
Packungsinhalt:	Halbschellenhaken (Zuglast bis 250 kg, \varnothing 48-51 mm) M12 Sicherungsmutter (Poly DIN 982 A4) M8 Ringschraube (DIN EN 10204 3.1) M8 x 35 mm Zylinderschraube, Innensechskant (DIN 912 A2) M10 x 35 mm Zylinderschraube, Innensechskant (DIN 912 A2) M8 Sicherungsscheibe M10 Sicherungsscheibe
Abmessungen Halbschellenhaken (H x B x T)	95 x 165 x 30 mm
Gesamtgewicht	0,67 kg

HERSTELLERERKLÄRUNGEN

Unsere aktuellen Garantiebedingungen und Haftungsbeschränkung finden Sie unter:
<http://www.adamhall.com/media/shop/downloads/documents/manufacturersdeclarations.pdf>

Im Service Fall wenden Sie sich bitte an
 Adam Hall GmbH | Adam-Hall-Str. 1 | 61267 Neu Anspach
 E-Mail Info@adamhall.com | +49 (0)6081 - 9419-0



KORREKTE ENTSORGUNG DIESES PRODUKTS

(Gültig in der Europäischen Union und anderen europäischen Ländern mit Mülltrennung)
 Dieses Symbol auf dem Produkt oder dazugehörigen Dokumenten weist darauf hin, dass das Gerät am Ende der Produktlebenszeit nicht zusammen mit dem normalen Hausmüll entsorgt werden darf, um Umwelt- oder Personenschäden durch unkontrollierte Abfallentsorgung zu vermeiden. Bitte entsorgen Sie dieses Produkt getrennt von anderen Abfällen und führen es zur Förderung nachhaltiger Wirtschaftskreisläufe dem Recycling zu. Als Privatkunde erhalten Sie Informationen zu umweltfreundlichen Entsorgungsmöglichkeiten über den Händler, bei dem das Produkt erworben wurde, oder über die entsprechenden regionalen Behörden. Als gewerblicher Nutzer kontaktieren Sie bitte Ihren Lieferanten und prüfen die ggf. vertraglich vereinbarten Konditionen zur Entsorgung der Geräte. Dieses Produkt darf nicht zusammen mit anderen gewerblichen Abfällen entsorgt werden.